

Custom Software Ltd PO Box 13286, Wellington Ph 0800 145554 <u>support@quickmap.co.nz</u>

Download Quickmap data update Instructions

These instruction describe how to apply a Quickmap data update by downloading a zip file from: http://downloads.quickmap.co.nz/URLDownloadHost/downloads/ and unzipping the file contents into your Quickmap data folder.

The update instructions in brief are:

- 1. **Find the Quickmap data folder**. Run Quickmap and select *About* off the Quickmap *Help* menu to view the location of the Quickmap data folder.
- 2. **Download the zip file**. Paste the URL provided to you by Custom Software Limited into your web browser and click the Download button.
- 3. **Close Quickmap**. Server setups may require creating Qmap.LCK in the shared Quickmap data folder on your server to trigger Quickmap to close for all users.
- 4. Copy downloaded data to your Quickmap data folder. Copy the contents of the downloaded zip file into your Quickmap data folder.
- 5. **Delete the file Qmap.LCK** if this was created in step 3 above.

Detailed instructions

After you have clicked on the download link provided to you by Custom Software Limited, or pasted the URL into your web browser, a webpage similar to the screenshot below will be displayed. This screen will tell you what you are going to download, and how big the download is.

1. Find the Quickmap data folder

Run Quickmap, select *About* off the *Help* menu, and make a note of the Data Folder.



Note these instructions work for both Version 7 and Version 8 Quickmap so the above screen may vary depending on the version you are running.



2. Download the zip file

Click the Download button.



Wait for the download to complete. This may be between 5 and 60 minutes, depending on how much data is being downloaded, and how fast your internet connection is.

Note that if you click the <u>here</u> hyperlink on the above screen, it will display these download instructions, which may change from time to time, so we recommend you follow the install instructions from that link, rather than any instructions you have saved on your computer.

3. Close Quickmap

After the file has downloaded, close Quickmap so that you can copy the downloaded data update into your data folder, without encountering file locking issues caused by Quickmap using the data while you are attempting to update it.

If you are applying the update to a shared network drive on a file server used by more than one Quickmap user, you must trigger Quickmap to exit for all users of the shared network drive by creating the file Qmap.LCK in the Quickmap data folder (determined in step 1 above). It does not matter what the contents of Qmap.LCK file is. The file simply needs to exist to cause all instances of Quickmap to close.

Qmap.LCK can be created manually using Windows Explorer, or you can download Qmap.LCK from

http://downloads.quickmap.co.nz/URLDownloadHost/downloads/QmapLCK

e.g. Paste the above URL into your browser, download Qmap.LCK, and after it had downloaded, Select *Show in folder*.

← → C ① Not secur	e downloads.quickmap.co.nz/URLDownloadHost/downloads,	/QmapLC
Quickm	ap Download	
This download is currently availal Download is: Quickmap lock file, File size is: 0 MB.	ble. Quickmap License, Quickmap Features.	
Click Download to begin down Click here for download instru	Open Always open files of this type	
Version 8.0 6878 29685	Show in folder	
П отар. LCK		

Right mouse click on Qmap.LCK and select Copy.

Qrnap.LCK	Open with	
A legal_North	년 Share	
	🝓 WinMerge	
	🗐 Zip and Share (WinZip Express)	
	🗐 WinZip	>
¢	Always available offline	
	Restore previous versions	
	Send to	>
		-
	Сору	
	Create shortcut	-
	Delete	
	Rename	
	Descention	

Right mouse click on the Quickmap data folder (from Step 1) and select Paste.

I Image: Imag	Include in library > Pin to Start	
· B 11	Send to >	
Pin to Quick Copy Paste	Cut	Nev fold
Clipboar	Paste	D
$\leftarrow \rightarrow \land \uparrow \rightarrow$ This	Delete	
> ProgramData	Rename	
V QMap	New	
> AutoUpgrade	Properties	.txt
> 🔁 Data 🛁	en costominatio	1
> PrivateMDB	(Map.mdb	

All LDB files such as Qmap.ldb, Roads.ldb should disappear when Quickmap is shut down.

4. Copy downloaded data to your Quickmap data folder.

Return to your web browser, click on the download, and select *Show in folder* off the menu.



Right mouse click on the zip file in the download folder and select *Open with* then select *Windows Explorer*.

	^	Name		Date modified
		(legal_North.zip		£/11/3010 7.55 /
	_		ß	Open with WinZip Print Create PDF and Bitmap Files with Share
🔵 🐂 Win	dows	Explorer		Open with
SL WE	Zin		12	WinMerge
	1.11	C1	9	WinZip

Highlight all the files, right mouse click, and then select *Copy* off the menu.

1.20						
Â	Name	Туре	Com			
	🗾 north_zip.txt	TVT.File				
	🗾 QRun.txt	Open				
	💁 MakeZIP.bat	<u> </u>				
	Makezip_LDS.bat	Сору				
💿 readme.htm 🔊 Roads.mdb		Delete	nent			
		Delete	licat			
	📝 installed.txt	Properties				
	📋 unix_log.sh	SH File				
	📋 unix_permission.sh	SH File ICO File				
	Control.ico					
	🦲 Scratch	File folder				
	survey	File folder				
	🦲 legal	File folder				
	Boundary	File folder				
	Expansion	File folder				
	bitmaps	File folder				

Browse to the Quickmap data folder (determined in Step 1), right mouse click on the Data folder, and select Paste off the menu.



5. Delete the file Qmap.LCK

After the files have finished copying, delete the Qmap.LCK file, if this file was created in step 3 above.



Repeat these instructions for all URL's that have been provided to you by Custom Software Limited.

NOTE

Data updates are also available using Custom Software's *QDownloader.exe* and we recommend you use this method, because it is significantly easier to apply an update than the above process. With *QDownloader.exe* you simply run *Qdownloader.exe*, and it will do the rest for you. If you would like to receive updates via *QDownloader.exe*, request this by emailing <u>support@quickmap.co.nz</u>